



SOLAR STREET LIGHT 100W
LD-**S100W**



Application Place:


It is widely used in home lighting, streets and roads, residential areas, scenic spots, parks, squares, private gardens and other public places, also used for night lighting of advertising board, and construction outdoor lighting, easy to install, energy saving, no need to pay electric fee, longer life span.



Product Parameters


Model	LD-S100W
Solar Panel	5V 30W polysilicone, 25 years lifetime;
Battery	3.2V 20000mAh LiFePO4 Battery, 12 years life time
Light Source	180lm/W SMD USA Cree LED 3000K-6500K
Charging Time	4-6 hours
Lighting Time	All night lighting, with remote controller
Solar Panel Dimension	443*346*25mm
Cable Length	2.4 meters with golden connector
Lamp Viewing Angle	90°
Warranty	more than 10 years

Product Advantage



- Independent R&D, patented products, integrated design, modular production, one-click installation.
- Powered by Cree LED™ Products, with 100000 hrs life span.
- With LiFePO4 battery, high safety, long life span.
- Diamond surface reflection process, reflecting light source, enhancing the brightness of the lighting effectively.
- Widened and thickened bracket, positionable angle, installation stable & firm.
- With PC outdoor optical lens, High light transmittance, high temperature resistance and aging resistance.
- Gold-plated aviation plug, Higher transmission speed, more safer.
- Low voltage design, safe and reliable.
- Integrated package, convenient transportation.

- 1 PC outdoor optical lens
- 2 Waterproof ring
- 3 High efficiency LLD
- 4 LiFePO4 battery
- 5 High density aluminum magnesium alloy die casting
- 6 Bracket






Installation Cases and Applicable Scenarios




Product Display

- ON key: turn on
- OFF key: turn off
- AUTO key: Reset, 4+X overnight lighting mode
- 6H key: lights off after 6 hours
- 8H key: lights off after 8 hours
- 85% key: reduce 15% power
- 70% key: reduce 30% power



Solar Panel



Cantilever wall and support



Lamp Holder

Φ8 Flat Gasket × 6

M8 Nuts × 2

M8 × 30 bolt × 4

M8 × 15 bolt × 4


M8 × 80 Expansion Bolts x4

M6 × 12 bolt × 4



M6 Hex Key

M6 Self Cushioned Nut x4



Packaging Display

SOLAR FLOOD LIGHT